

From:

ITCRS Group LLC.

11511 Piedmont Dr,

Fredericksburg, VA 22407

Phone: 703.578.0058 - 571.527.9392

info@itcrs.net

Quote Number	ITEST2226
Quote Date	January 26, 2023
Valid Until	April 30, 2023
Total	\$13,194.86

To:

Courtyard Manassas Battlefield Park

10701 Battleview Parkway

Manassas VA 20109

tjstill1@gmail.com

Qty	Service	Price	Sub Total
1	LTS 16 Channel NDAA Compliant 12MP NVR 4TB Supports fisheye dewarping Support Ultra H.265/H.265/H.264 video formats 16-channel input Plug & Play with 16 independent PoE network interfaces Supports mainstream cameras of ONVIF conformance(Profile S, Profile G, Profile T) and RTSP protocols Support 1-ch HDMI, 1-ch VGA. HDMI up to 4K (3840x2160) resolution HDMI and VGA independent outputs provided Up to 12 Megapixels resolution recording 2 SATA HDDs, Up to 8TB for each HDD 2 Year Warranty	\$779.89	\$779.89
8	LTS 8MP 4K UltraHD Dome NDAA Compliant High-quality image with 8MP, 1/2.7"CMOS sensor 8MP (3840 x 2160)@20fps; 5MP (3072 x 1728)@30/25fps; 4MP (2560 x 1440)@30/25fps; 2MP (1920 x 1080) @30/25fps Ultra 265, H.265, H.264, MJPEG LightHunter technology ensures high image quality in a low illumination environment 120dB true WDR technology enables clear image in the strong light scene Support 9:16 Corridor Mode Smart IR, up to 98ft (30m) IR distance IK10 vandal resistant IP67 protection 2 Year Warranty	\$239.78	\$1,918.24

Qty	Service	Price	Sub Total
8	LTS 8MP 4K UltraHD Turrent NDAA Compliant High-quality image with 8MP, 1/2.7" CMOS sensor 8MP (3840 x 2160)@20fps; 5MP (3072 x 1728)@30/25fps; 4MP (2560 x 1440)@30/25fps; 2MP (1920 x 1080) @30/25fps Ultra 265, H.265, H.264, MJPEG LightHunter technology ensures high image quality in a low illumination environment 120dB true WDR technology enables clear image in the strong light scene Support 9:16 Corridor Mode Smart IR, up to 98ft (30m) IR distance IK10 vandal resistant IP67 protection 2 Year Warranty	\$239.89	\$1,919.12
1	6U Wall Mount Network Server 19 Inch IT Cabinet Rack & Installation [Size]: 14.3" H x 22.4" W x 17.7" D. Total Usable Space of 13.75" front to back. [Heavy Duty]: Tedgetal SE series wall mount cabinet is made from SPCC cold-rolled steel with a maximum loading capacity of 133lbs(60kgs) for equipment. [Security and Protection]: Locking the front door and side panel prevent unauthorized access to equipment.	\$425.89	\$425.89
1	1500VA Battery Backup	\$279.89	\$279.89
3200	Cat6 Data wire	\$0.45	\$1,440.00
1	Materials & Supplies Include a waterproof box for outside installation	\$400.00	\$400.00
8	Outside IP Cameras wiring	\$225.00	\$1,800.00
8	Inside IP Cameras wiring	\$135.00	\$1,080.00
8	Inside Camera Installation & Adjustment	\$55.00	\$440.00
8	Outside Camera Installation & Adjustment	\$95.00	\$760.00
1	Shipping & Handling	\$125.00	\$125.00
1	55" 4K UHD LED TV Include: Wall mount bracket 25' HDMI Cable Installation & setup	\$660.89	\$660.89
1	30-40ft. 1/2" inch Galvanized Steel Pipe	\$350.00	\$350.00
1	NVR & Remote viewer setup & Settings	\$300.00	\$300.00

Sub Total	\$12,678.92
VA-Tax	\$515.94

Total	\$13,194.86
-------	-------------

By signing this proposal, you are agreeing to IT Computer Repair & Systems Inc. Terms & Conditions can be viewed at the following web address www.itcrs.net/terms-conditions/.

PAYMENTS TERMS

- * 50% deposit upon contract acceptance.
- * 30% When the project it's complete at 85%.
- * 20% Final payment upon completion of work.

Requests for alterations and/or deviations from the above scope of work will be executed via written change orders to be incorporated as additional costs to this contract proposal.

Work to be completed during normal business hours, Monday - Friday 8:00 am to 4:00 PM.

Credit card payments will incur an extra 3.5% processing fee per transaction.

Signature: _____ Date of Acceptance: _____

THANK YOU FOR YOUR BUSINESS !!

The information contained in this message may be privileged, confidential, proprietary, or otherwise protected from disclosure, please notify us immediately by replying to this message and deleting it from your computer if you have received this communication in error.